

Bibliography

Section 1: Randomized Clinical Trials (RCT)

Impact RCT

1. Valipour A, Slebos DJ, Herth F, Darwiche K, Wagner M, Ficker JH, Petermann C, Hubner RH, Stanzel F, Eberhardt R; IMPACT Study Team: Endobronchial Valve Therapy in Patients with Homogeneous Emphysema. Results from the IMPACT Study. *Am J Respir Crit Care Med.* 2016 Nov 1;194(9):1073-1082

Stelvio RCT

2. Klooster K, ten Hacken NHT, Hartman JE, Kerstjens HAM, van Rikxoort EM, Slebos DJ: Endobronchial Valves for Emphysema without Interlobar Collateral Ventilation. *N Eng J Med* 2015; 373:2325-35 (Supplementary appendix STELVIO Trial 'Endobronchial valves for emphysema without interlobar collateral ventilation' Klooster et al. November 18th, 2015).
3. Klooster K, Hartman JE, Ten Hacken NH, Slebos DJ: One-Year Follow-Up after Endobronchial Valve Treatment in Patients with Emphysema without Collateral Ventilation Treated in the STELVIO Trial. *Respiration.* 2017;93(2):112-121. doi: 10.1159/000453529.
4. Hartman JE, Klooster K, Slebos DJ, Ten Hacken NH: Improvement of physical activity after endobronchial valve treatment in emphysema patients. *Respir Med.* 2016 Aug;117:116-21. doi: 10.1016/j.rmed.2016.06.009.

Believer RCT

5. Davey C, Zoumot Z, Jordan S, McNulty WH, Carr DH, Hind MD, Hansell DM, Rubens MB, Banya W, Polkey MI, Shah PL, Hopkinson NS: Bronchoscopic lung volume reduction with endobronchial valves for patients with heterogeneous emphysema and intact interlobar fissures (the BeLieVeR-HiFi study): a randomised controlled trial. *Lancet.* 2015 Sep 12;386(9998):1066-73. doi: 10.1016/S0140-6736(15)60001-0.
6. Zoumot Z, Davey C, Jordan S, McNulty WH, Carr DH, Hind MD, Polkey MI, Shah PL, Hopkinson NS: Endobronchial valves for patients with heterogeneous emphysema and without interlobar collateral ventilation: open label treatment following the BeLieVeR-HiFi study. *Thorax.* 2016 Dec 20. pii: thoraxjnl-2016-208865. doi: 10.1136/thoraxjnl-2016-208865

Vent RCT

7. Sciruba FC, Ernst A, Herth FJF, Strange C, Criner G, Marquette C, et al.: A Randomized Study of Endobronchial Valves for Advanced Emphysema. *New Eng J Med* 2010; 363: 1233-1244 (including supplementary appendix).
8. Herth F, Noppen M, Valipour A, Leroy S, Vergnon J-M, Ficker JH, Egan E, Gasparini S, Agusti C, Homes-Higgin D, Ernst A on behalf of the International VENT Study Group: Efficacy predictors of endoscopic lung volume reduction with Zephyr valves in a European cohort with emphysema. *Eur Respir J* 2012; 39: 1334-1342

Bibliography

Section 2: Registry

9. Skowasch D, Fertl A, Schwick B, Schäfer H, Hellmann A, Herth FJ; LIVE Study Investigators: A Long-Term Follow-Up Investigation of Endobronchial Valves in Emphysema (the LIVE Study): Study Protocol and Six-Month Interim Analysis Results of a Prospective Five-Year Observational Study. *Respiration*. 2016;92(2):118-26. doi: 10.1159/000448119

Section 3: Clinical Studies

Long-term Survival

10. Garner J, Kemp SV, Toma TP, Hansell DM, Polkey MI, Shah PL, Hopkinson NS: Survival after Endobronchial Valve Placement for Emphysema: A 10-Year Follow-up Study. *Am J Respir Crit Care Med*. 2016 Aug 15;194(4):519-21. doi: 10.1164/rccm.201604-0852LE.

Bridge to lung transplantation/low FEV₁

11. Darwiche K, Karpf-Wissel R, Eisenmann S, Aigner C, Welter S, Zarogoulidis P, Hohenforst-Schmidt W, Freitag L, Oezkan F: Bronchoscopic Lung Volume Reduction with Endobronchial Valves in Low-FEV₁ Patients. *Respiration*. 2016;92(6):414-419
12. Trudzinski FC, Höink AJ, Leppert D, Fähndrich S, Wilkens H, Graeter TP, Langer F, Bals R, Minko P, Lepper PM: Endoscopic Lung Volume Reduction Using Endobronchial Valves in Patients with Severe Emphysema and Very Low FEV₁. *Respiration*. 2016;92(4):258-265.

Impact of treated target lobe

13. Eberhardt R, Herth FJ, Radhakrishnan S, Gompelmann D: Comparing Clinical Outcomes in Upper versus Lower Lobe Endobronchial Valve Treatment in Severe Emphysema. *Respiration*. 2015;90(4):314-20. doi: 10.1159/000437358.

EBV for emphysema with pulmonary hypertension patients

14. Eberhardt R, Gerovasili V, Kontogianni K, Gompelmann D, Ehlken FJ, Herth FJ, Grünig E, Nagel C: Endoscopic lung volume reduction with endobronchial valves in patients with severe emphysema and established pulmonary hypertension. *Respiration* 2015; 89(1):41-8.

Alpha-1 antitrypsin deficiency

15. Hillerdal G, Mindus S: One- to four-year follow-up of endobronchial lung volume reduction in alpha-1-antitrypsin deficiency patients: a case series. *Respiration*. 2014;88(4):320-8. doi: 10.1159/000365662

Air Leaks

16. Firlinger I, Stubenberger E, Müller MR, Burghuber OC, Valipour A: Endoscopic one-way valve implantation in patients with prolonged air leak and the use of digital air leak monitoring. *Ann Thorac Surg* 2013; 95(4):1243-9

Section 4: Collateral Ventilation/fissure integrity assessments

17. Koster TD, van Rikxoort EM, Huebner RH, Doellinger F, Klooster K, Charbonnier JP, Radhakrishnan S, Herth FJ, Slebos DJ: Predicting Lung Volume Reduction after Endobronchial Valve Therapy Is Maximized Using a Combination of Diagnostic Tools. *Respiration*. 2016;92(3):150-7. doi: 10.1159/000448849.

Section 5: Best Practice - Experts recommendations

18. Slebos DJ, Shah PL, Herth FJ, Valipour A: Endobronchial Valves for Endoscopic Lung Volume Reduction: Best Practice Recommendations from Expert Panel on Endoscopic Lung Volume Reduction. *Respiration*. 2017;93(2):138-150. doi: 10.1159/000453588.